


alogene

per illuminazione generale


A LOGENA E11

COD.	VOLT	WATT	ATTACCO	DIMENSIONI	TIPO DI VETRO	VITA
2269	120	75	E11	11,3x65	Chiara	1000
2270	120	100	E11	11,5x70	Chiara	1500
2272	120	150	E11	11,5x70	Chiara	1500
2274	120	250	E11	14x81	Chiara	2000
2275	120	500	E11	14x95	Chiara	2000
2271	220	100	E11	14x80	Chiara	1300
2278	220	150	E11	14x70	Chiara	2000
2276	220	250	E11	14x80	Chiara	2000
2277	220	500	E11	14x80	Chiara	2000




A LOGENA E14 SENZA VETRO

COD.	VOLT	WATT	ATTACCO	DIMENSIONI	TIPO DI VETRO	CD	VITA
2362	120	150	E14	14x75	Chiara	2400	2000
2363	120	250	E14	14x75	Chiara	4500	2000
2365	220	75	E14	14x75	Chiara	1000	1500
2367	220	75	E14	14x75	Smerigliata	900	1500
4981	220	100	E14	14x75	Chiara	1200	2000
2375	220	100	E14	14x75	Smerigliata	1100	1500
4982	220	150	E14	14x75	Chiara	2300	2000
2376	220	150	E14	14x75	Smerigliata	2200	2000
4983	220	250	E14	14x75	Chiara	4200	2000
2377	220	250	E14	14x75	Smerigliata	4100	2000
2364	220	500	E14	15x95	Chiara	9500	2000



A LOGENA TUBOLARE E14 CON VETRO

COD.	VOLT	WATT	ATTACCO	DIMENSIONI	TIPO DI VETRO	CD	VITA
2380	220	25	E14	26x80	Chiara	250	1500
2385	220	40	E14	21x98	Chiara	500	2000
2383	220	40	E14	26x80	Smerigliata	430	1500
2381	220	40	E14	26x80	Chiara	490	1500
2386	220	60	E14	21x98	Chiara	840	2000
2384	220	60	E14	26x80	Smerigliata	780	1500
2382	220	60	E14	26x80	Chiara	820	1500
2388	220	100	E14	21x98	Smerigliata	1525	2000
2387	220	100	E14	21x98	Chiara	1600	2000



alogene per illuminazione generale



A L O G E N A E 1 4 O L I V A T O R T I G L I O N E B T T

COD.	VOLT	WATT	ATTACCO	DIMENSIONI	TIPO DI VETRO	CD	VITA
2389	220	40	E14	35x100	Tortiglione chiara	490	2000
6458	220	40	E14	35x99	Oliva chiara	475	2000
6473	220	40	E14	35x99	Oliva opale	420	2000
6474	220	40	E14	35x99	Tortiglione opale	420	2000
2390	220	40	E14	38x105	Fiamma chiara	490	2000
2391	220	60	E14	38x105	Oliva chiara	840	2000
2392	220	60	E14	40x107	Elissoidale chiara	810	2000



A L O G E N A B A 1 5 D

COD.	VOLT	WATT	ATTACCO	DIMENSIONI	TIPO DI VETRO	CD	VITA
4627	10	50	Ba15d	11,5x50	Alogena	820	2000
2396	12	50	Ba15d	12x54	Chiara	975	2000
2397	12	75	Ba15d	12x54	Chiara	1450	2000
2399	120	150	Ba15d	14x72	Chiara	1900	1000
2400	220	40	Ba15d	18x67	Chiara	490	1500
2408	220	40	Ba15d	18x67	Smerigliata	460	2000
2407	220	60	Ba15d	18x67	Chiara	820	1500
2415	220	60	Ba15d	18x67	Smerigliata	780	1500
2401	220	60	Ba15d	18x86	Chiara	820	2000
2409	220	60	Ba15d	18x86	Smerigliata	780	2000
2403	220	75	Ba15d	18x86	Chiara	1100	1500
2411	220	75	Ba15d	18x86	Smerigliata	1050	1500
2404	220	100	Ba15d	18x86	Chiara	1500	2000
2412	220	100	Ba15d	18x86	Smerigliata	1430	2000
2402	220	150	Ba15d	18x86	Chiara	2500	2000
2410	220	150	Ba15d	18x86	Smerigliata	2400	2000
2405	220	150	Ba15d	18x98	Chiara	2500	2000
2413	220	150	Ba15d	18x98	Smerigliata	2400	2000
2406	220	250	Ba15d	18x98	Chiara	4200	2000
2414	220	250	Ba15d	18x98	Smerigliata	4000	2000




A L O G E N A G 9

COD.	VOLT	WATT	ATTACCO	DIMENSIONI	TIPO DI VETRO	CD	VITA
2418	220	25	G9	14x51	Chiara	250	1500
2422	220	25	G9	14x51	Smerigliata	230	1500
2419	220	40	G9	14x51	Chiara	490	1500
2423	220	40	G9	14x51	Smerigliata	460	1500
2420	220	60	G9	14x54	Chiara	820	2000
2424	220	60	G9	14x54	Smerigliata	780	2000
2421	220	75	G9	14x54	Chiara	1100	2000
2425	220	75	G9	14x54	Smerigliata	1050	2000




A LOGENA TUBOLARE E 27

COD.	VOLT	WATT	ATTACCO	DIMENSIONI	TIPO DI VETRO	CD	VITA
2426	120	150	E27	32x105	Chiara	2500	2000
2440	220	100	E27	33x103	Smerigliata	1525	2000
2439	220	100	E27	33x103	Chiara	1600	2000
2442	220	150	E27	33x103	Smerigliata	2450	2000
2441	220	150	E27	33x103	Chiara	2550	2000
2428	220	500	E27	38x210	Chiara	10250	2000




A LOGENA TUBOLARE E 27 BASE CERAMICA

COD.	VOLT	WATT	ATTACCO	DIMENSIONI	TIPO DI VETRO	CD	VITA
2427	120	250	E27	32x105	Chiara	4200	2000
2434	220	60	E27	32x105	Smerigliata	780	2000
2429	220	60	E27	32x105	Chiara	820	1500
2435	220	75	E27	32x105	Smerigliata	1050	1500
2430	220	75	E27	32x105	Chiara	1100	1500
2436	220	100	E27	32x105	Smerigliata	1430	2000
2431	220	100	E27	32x105	Chiara	1500	2000
2437	220	150	E27	32x105	Smerigliata	2400	2000
2432	220	150	E27	32x105	Chiara	2500	2000
2438	220	250	E27	32x105	Smerigliata	4000	2000
2433	220	250	E27	32x105	Chiara	4200	2000





A LOGENA BTT E 27

COD.	VOLT	WATT	ATTACCO	DIMENSIONI	TIPO DI VETRO	CD	VITA
4661	220	60	Ba22d	47x109	Opale	780	2000
2454	220	60	E27	47x109	Opale	780	2000
2453	220	60	E27	47x109	Chiara	840	2000
4660	220	100	Ba22d	47x105	Chiara	1600	2000
2450	220	100	E27	47x109	Opale	810	2000
2449	220	100	E27	47x109	Chiara	1600	2000
2452	220	150	E27	47x109	Opale	2350	2000
2451	220	150	E27	47x109	Chiara	2550	2000




A LOGENA FUNGO E 27

COD.	VOLT	WATT	ATTACCO	DIMENSIONI	TIPO DI VETRO	CD	VITA
6452	220	60	E27	60x105	Opale	800	2000
6447	220	60	E27	60x105	Chiara	840	2000
6456	220	100	E27	60x105	Opale	1480	2000
6448	220	100	E27	60x105	Chiara	1550	2000




alogeno per illuminazione generale




A LOGENA TUBOLARE E40 CHIARA

COD.	VOLT	WATT	ATTACCO	DIMENSIONI	CD	VITA
2456	120	500	E40	38x220	12000	2000
2455	120	1000	E40	38x260	25000	1000
2460	220	500	E40	38x215	10250	2000
2458	220	1000	E40	38x260	24000	2000
2459	220	2000	E40	38x300	50000	2000




A LOGENA GLOBO OPALE E27

COD.	VOLT	WATT	ATTACCO	DIMENSIONI	NOTE	CD	VITA
2461	220	100	E27	96x148	Opale	2350	2000
2462	220	150	E27	96x148	Opale	2380	2000



A LOGENA G4

COD.	VOLT	WATT	ATTACCO	DIMENSIONI	CD	VITA	TIPO DI VETRO
2463	6	5	G4	9x31	65	2000	
2476	6	10	G4	9x33	110	2000	
2484	12	5	G4	9x31	60	2000	
2468	12	10	G4	9x30	120	2000	Smerigliata
2485	12	10	G4	9x33	140	2000	
2464	12	15	G4	9x30	350	1000	
4978	12	20	G4	9x30	350	2000	
2481	12	20	G4	9x33	305	2000	Smerigliata
2465	12	35	G4	9x30	550	2000	
4822	24	10	G4	9x30	120	2000	
2483	24	20	G4	9x33	300	2000	
6364	28	10	G4	9x30	100	2000	
5059	28	20	G4	9x30	280	1000	



A LOGENA GY6,35

COD.	VOLT	WATT	ATTACCO	DIMENSIONI	CD	VITA	TIPO DI VETRO
2487	6	35	Gy6,35	12x44	600	2000	
2513	12	20	Gy6,35	12x44	300	2000	
2515	12	35	Gy6,35	12x44	575	2000	Smerigliata
2512	12	35	Gy6,35	12x44	600	2000	
4665	12	50	Gy6,35	12x44	800	1500	
2514	12	50	Gy6,35	12x44	950	2000	Smerigliata
2510	12	75	Gy6,35	12x44	1450	2000	
2501	12	90	Gy6,35	12x44	1800	3000	
2509	12	100	Gy6,35	12x44	1450	2000	
4664	24	20	Gy6,35	12x44	350	2000	
2508	24	50	G6,35	12x44	850	2000	
2490	24	75	Gy6,35	12x44	1500	2000	
2507	24	100	G6,35	12x44	2200	2000	
2503	24	150	Gy6,35	16x50	3200	2000	
2488	120	100	Gy6,35	11,5x70	1500	1500	




alogene per illuminazione generale

COD.	VOLT	WATT	ATTACCO	DIMENSIONI	CD	VITA
1040	220	100	G6,35	11,5x70	1500	1500
2491	220	150	Gy6,35	14x70	2500	1500


ALOGENA R7S FA4

COD.	VOLT	WATT	ATTACCO	DIMENSIONI	CD	VITA
2534	24	150	R7s	11x78	2700	1000
2524	120	100	R7s	11x78	1500	2000
2555	220	60	R7s	11x78	810	1500
2556	220	100	R7s	11x78	1600	2000
557	220	150	R7s	11x78	2400	2000
2558	220	200	R7s	11x78	3400	2000
2526	24	300	R7s	11x117	5400	2000
2523	120	100	R7s	11x117	2200	2000
2520	120	250	R7s	11x117	4400	2000
2532	220	60	R7s	11x117	600	1500
2547	220	150	R7s	11x117	2250	2000
22559	220	200	R7s	11x117	2820	2000
560	220	300	R7s	11x117	4480	2000
2561	220	500	R7s	11x117	7920	2000
2533	24	100	R7s	9x118	1500	1500
2535	24	200	R7s	9x118	3200	1500
5122	120	150	R7s	9x118	2200	2000
5123	120	200	R7s	9x118	3500	2000
5124	120	300	R7s	9x118	5500	2000
5125	120	500	R7s	9x118	10450	2000
2529	220	100	R7s	11x118	1400	2000
25581	220	500	R7s	11x189	8750	2000
2551	220	750	R7s	11x189	16900	2000
2552	220	1000	R7s	11x189	24200	2000
2553	220	1500	R7s	11x254	36300	2000
2554	220	2000	Fa4	11x335	48400	2000
2518	220	2000	R7s	11x327	44000	2000



DICROICA GU4 35X40 mm CHIUSA

COD.	VOLT	WATT	ATTACCO	ANGOLO	CD	VITA
6301	6	5	Gu4	30		1000
6302	6	10	Gu4	30		1000
6370	12	5	Gu4	30		2000
2571	12	10	Gu4	38	300	3000
5632	12	12	Gu4	7	4400	2000
2576	12	20	Gu4	10	4800	4000
2577	12	20	Gu4	30	690	4000
2578	12	35	Gu4	10	7000	4000
2579	12	35	Gu4	30	1300	4000
5517	24	10	Gu4	30		2000
2562	24	20	Gu4	30	500	2000



alogene per illuminazione generale

COD.	VOLT	WATT	ATTACCO	ANGOLO	CD	VITA
2563	24	35	Gu4	30	1200	2000

DICROICA GU4 35X40 mm COLORATA




COD.	VOLT	WATT	ATTACCO	ANGOLO	VITA	TIPO DI VETRO
6296	12	20	Gu4	10	2000	Blu
6299	12	20	Gu4	10	2000	Giallo
6298	12	20	Gu4	10	2000	Rosso
6297	12	20	Gu4	10	2000	Verde

DICROICA GU5,3 50X45 mm APERTA


COD.	VOLT	WATT	ATTACCO	ANGOLO	KELVIN	VITA	NOTE
2653	12	20	Gu5,3	36	3000	3000	BAB
2654	12	35	Gu5,3	36	3000	3000	FMW
2580	12	42	Gu5,3	27	3000	2000	EYS
2655	12	50	Gu5,3	36	3000	3000	EXN
2581	12	75	Gu5,3	14	3000	2000	EYF
2583	12	75	Gu5,3	20	3000	2000	EYJ
2582	12	75	Gu5,3	38	3000	2000	EYC
2584	24	20	Gu5,3	38	3000	1500	

DICROICA GU5,3 50X45 mm CHIUSA

COD.	VOLT	WATT	ANGOLO	KELVIN	CD	VITA	NOTE
2639	12	20	8	3150	6500	5000	
2656	12	20	10	3000	3400	3000	ESX
2627	12	20	10	3200	5000	4000	ESX
2628	12	20	24	3200	1300	4000	BBF
2657	12	20	36	3000	550	3000	BAB
2640	12	20	36	3150	1000	5000	
2629	12	20	36	3200	780	4000	BAB
2630	12	20	60	3200	350	4000	
2641	12	30	8	3150	11000	5000	
2642	12	30	24	3150	3350	5000	
2643	12	30	36	3150	1600	5000	
2644	12	30	60	3150	750	5000	
2645	12	35	8	3150	14000	5000	
2658	12	35	10	3000	6000	3000	FMT
2631	12	35	10	3200	8000	4000	FMT
4670	12	35	10	4100	5400	4000	
2646	12	35	24	3150	4400	5000	
2632	12	35	24	3200	3100	4000	FMV
4671	12	35	24	4100	1700	4000	
2659	12	35	36	3000	1000	3000	FMW
2647	12	35	36	3150	2200	5000	
2633	12	35	36	3200	1500	4000	FMW
4672	12	35	36	4100	1000	4000	
2648	12	35	60	3150	1050	5000	




COD.	VOLT	WATT	ANGOLO	KELVIN	CD	VITA	NOTE
2634	12	35	60	3200	700	4000	
2649	12	45	8	3150	16000	5000	
2650	12	45	24	3150	5450	5000	
2651	12	45	36	3150	2850	5000	
2652	12	45	60	3150	1300	5000	
2660	12	50	10	3000	8800	3000	EXT
2635	12	50	10	3200	13000	4000	EXT
4673	12	50	10	4100	6400	4000	
6508	12	50	12	4700	5000	1200	
2636	12	50	24	3200	4400	4000	EXZ
4674	12	50	24	4100	2700	4000	
2661	12	50	36	3000	1600	3000	EXM
2637	12	50	36	3200	2200	4000	EXM
4675	12	50	36	4100	1200	4000	
6509	12	50	36	5300	600	4000	
2662	12	50	60	3000	750	3000	FNT
2638	12	50	60	3200	1100	4000	FNT
5614	12	71	25	3050	4550	6000	EYJ
2585	12	75	14	3000	11500	2000	EYF
2586	12	75	38	3000	1950	2000	EYC
2587	24	20	38			2000	
2588	24	35	38			2000	
2589	24	50	38			2000	




RIFLETTORE ALLUMINIO GU5,3 51X45 mm

COD.	VOLT	WATT	ATTACCO	ANGOLO	CD	VITA
2663	12	20	Gu5,3	38	700	3000
2664	12	35	Gu5,3	38	1100	3000
2665	12	50	Gu5,3	38	1800	3000




DICROICA GU5,3 50X45 mm SMERIGLIATA

COD.	VOLT	WATT	ATTACCO	ANGOLO	VITA
2280	12	20	Gu5,3	38	6000
2281	12	50	Gu5,3	38	6000



DICROICA GU5,3 50X45 mm COLORATA

COD.	VOLT	WATT	ATTACCO	ANGOLO	VITA	TIPO DI VETRO
2282	12	20	Gu5,3	12	3000	Blu
2285	12	20	Gu5,3	12	3000	Giallo
2284	12	20	Gu5,3	12	3000	Rosso
2283	12	20	Gu5,3	12	3000	Verde
2287	12	50	Gu5,3	12	3000	Blu
2290	12	50	Gu5,3	12	3000	Giallo
2289	12	50	Gu5,3	12	3000	Rosso
2288	12	50	Gu5,3	12	3000	Verde



alogeno per illuminazione generale




RIFLETTORE NERO E ARGENTO GU5,3 50X45 mm

COD.	VOLT	WATT	ATTACCO	ANGOLO	CD	VITA	NOTE
2291	12	20	Gu5,3	36	510	3500	Argento
6081	12	20	Gu5,3	36	510	3500	Nero
6289	12	50	Gu5,3	24	3000	3500	Nero
2293	12	50	Gu5,3	36	1580	3500	Nero
2295	12	50	Gu5,3	36	1580	3500	Argento




RIFLETTORE GU10 GZ10

COD.	WATT	ATTACCO	DIMENSIONI	KELVIN	ANGOLO	CD	TIPO DI VETRO
6303	35	Gu10	51x53	2900	25	700	Dicroica
6466	40	Gu10	51x53	2900	25	550	Dicroica
6467	40	Gu10	51x53	2900	50	350	Dicroica
4650	50	Gu10	51x53	2900	25	1250	Alluminio
4651	50	Gu10	51x53	2900	50	600	Alluminio
6518	50	Gu10	64x62	2900	25	1500	Alluminio
4648	50	Gz10	51x53	2900	25	1250	Dicroica
4649	50	Gz10	51x53	2900	50	600	Dicroica
2301	75	Gu10	64x62	2800	50	1000	Dicroica




RIFLETTORE ALLUMINIO GY4 48X36 mm

COD.	VOLT	WATT	ATTACCO	ANGOLO	CD	VITA
2302	6	10	G4	10	2000	2000
2303	12	20	Gy4	8	4100	2000
2470	12	35	G4	14	3500	2000
2304	24	20	Gy4	8	3000	2000




RIFLETTORE ALLUMINIO BA15D

COD.	VOLT	WATT	ATTACCO	DIMENSIONI	ANGOLO	CD	VITA
5217	6	15	Ba15d	37x38	6	5000	2000
2306	6	15	Ba15d	56x57	14	1400	2000
2307	6	35	Ba15d	56x57	14	4000	2000
2308	12	20	Ba15d	37x38	6	7000	2000
2309	12	20	Ba15d	56x57	18	1500	2000
2310	12	20	Ba15d	56x57	32	750	2000
2314	12	20	Ba15d	70x50	8	7500	2000
2313	12	20	Ba15d	70x50	24	750	2000
2311	12	50	Ba15d	56x57	10	4000	2000
2312	12	50	Ba15d	56x57	25	2500	2000
2316	12	50	Ba15d	70x50	8	14000	2000
2315	12	50	Ba15d	70x50	24	1600	2000



AR111 G53 111X58 mm

COD.	VOLT	WATT	ATTACCO	ANGOLO	KELVIN	CD	VITA
2324	6	35	G53	3	3000	30000	3000
6425	12	30	G53	8	3000	23000	2000
6426	12	30	G53	24	3000	4000	2000



alogene per illuminazione generale

COD.	VOLT	WATT	ATTACCO	ANGOLO	KELVIN	CD	VITA
4956	12	35	G53	24	3000	4000	3000
6427	12	45	G53	8	3000	33000	2000
6428	12	45	G53	24	3000	5800	2000
6429	12	45	G53	45	3000	1900	2000
2325	12	50	G53	4	3000	45000	3000
2328	12	50	G53	8	3000	23000	2000
2329	12	50	G53	24	3000	4000	2000
6430	12	60	G53	8	3000	48000	2000
6431	12	60	G53	24	3000	8500	2000
6432	12	60	G53	45	3000	2800	2000
2330	12	75	G53	8	3000	30000	2000
2331	12	75	G53	24	3000	5300	2000
2332	12	75	G53	45	3000	1700	2000
2333	12	100	G53	8	3000	48000	2000
2334	12	100	G53	24	3000	8500	2000
2335	12	100	G53	45	3000	2800	2000

A LOGENA R 50 E 14 50 X 86 mm

COD.	VOLT	WATT	ATTACCO	ANGOLO	CD	KELVIN	VITA
4637	220	40	E14	23	510	2700	2000

A LOGENA R 63 E 27 63 X 103 mm





COD.	VOLT	WATT	ATTACCO	ANGOLO	CD	KELVIN	VITA
4640	220	40	E27	23	750	2700	2000
4641	220	60	E27	23	1150	2900	2000

A LOGENA PAR 16 E 14 50 X 85 mm


COD.	VOLT	WATT	ATTACCO	ANGOLO	CD	KELVIN	VITA
2336	220	40	E14	30	300	2900	1500

A LOGENA PAR 20 E 27 63 X 91 mm

COD.	VOLT	WATT	ATTACCO	ANGOLO	KELVIN	CD	VITA
2343	220	50	E27	10	2900	4300	2500
2342	220	50	E27	30	2900	1300	2500




alogene per illuminazione generale




A L O G E N A R 8 0 E 2 7 8 1 X 1 0 8 mm

COD.	VOLT	WATT	ATTACCO	ANGOLO	KELVIN	CD	VITA
2346	220	50	E27	10	2900	4000	2000
2347	220	50	E27	25	2900	1100	2000
2348	220	75	E27	10	2900	5500	2000
2349	220	75	E27	25	2900	1300	2000



A L O G E N A P A R 3 0 E 2 7 9 7 X 9 0, 5 mm

COD.	VOLT	WATT	ATTACCO	ANGOLO	KELVIN	CD	VITA
2355	220	75	E27	10	2900	6500	2500
2354	220	75	E27	30	2900	2000	2500
2357	220	100	E27	10	2900	9000	2500
2356	220	100	E27	30	2900	3000	2500



A L O G E N A P A R 3 8 E 2 7 1 2 2 X 1 3 6 mm

COD.	VOLT	WATT	ATTACCO	ANGOLO	KELVIN	CD	VITA
2378	220	75	E27	30	2900	2400	2500
6204	220	100	E27	10	2900	15000	2000
2379	220	100	E27	30	2900	3000	2500

