

VAPORI DI MERCURIO

COD.	WATT	ATTACCO	DIMENSIONI	KELVIN	CD
3305	50	E27	55x130	3000	1600
3308	50	E27	56x130	3500	2000
3310	50	E27	56x130	4200	1770
3306	80	E27	70x156	3000	3400
3309	80	E27	71x155	3500	4000
3311	80	E27	71x155	4300	3600
3307	125	E27	75x170	3000	5700
3312	125	E27	76x173	3400	6700
3315	125	E27	76x173	4100	6200
3313	250	E40	91x228	3300	14200
3316	250	E40	91x228	4100	12700
3304	400	E40	120x290	3000	24000
3314	400	E40	121x290	3500	24000
3317	400	E40	121x290	3900	22000
3318	700	E40	141x328	3900	38500
3319	1000	E40	167x399	3900	38500




MERCURIO MISCELATA 220V

COD.	WATT	ATTACCO	DIMENSIONI	KELVIN	CD
3359	100	E27	70x150	3300	1100
3360	160	E27	75x160	3600	3150
3361	250	E27	75x160	3600	5300
3363	250	E40	90x224	3400	5300
3362	500	E40	120x282	3700	13000



MERCURIO RIFLETTORE

COD.	WATT	ATTACCO	DIMENSIONI	KELVIN	CD
3399	80	E27	125x168	3500	3000
3401	125	E27	127x187	4200	5700
3402	250	E40	162x259	4100	12000
3403	400	E40	178x299	3900	20500



MERCURIO MISCELATA RIFLETTORE 220V

COD.	WATT	ATTACCO	DIMENSIONI	KELVIN	CD
3405	160	E27	126x187	3400	3000





SODIO BASSA PRESSIONE BAY22D

COD.	WATT	ATTACCO	DIMENSIONI	KELVIN	CD
3417	18	Bay22d	52x216	1800	1770
3418	26	Bay22d	52x311	1800	3700
3412	35	Bay22d	52x311	1800	4550
3419	36	Bay22d	52x425	1800	5800
3413	55	Bay22d	52x425	1800	7800
3420	66	Bay22d	68x528	1800	10700
3414	90	Bay22d	65x528	1800	14300
3421	91	Bay22d	68x775	1800	17000
3422	131	Bay22d	68x1120	1800	26000
3415	135	Bay22d	68x775	1800	23000
3416	180	Bay22d	68x1120	1800	33000




SODIO ALTA PRESSIONE ELISSOIDALE

COD.	WATT	ATTACCO	DIMENSIONI	KELVIN	CD	NOTE
3437	50	E27	70x156	2000	3500	
3455	50	E27	71x156	1950	3400	Acc.incorporato
3456	70	E27	71x156	1900	5600	Acc. incorporato
3460	70	E27	71x156	1900	5600	
3467	100	E40	76x186	2000	1000	
4736	110	E27	71x169	2000	10400	Acc.incorporato
3457	150	E40	91x226	1900	14500	
3465	220	E40	91x226	1950	20000	Acc.incorporato
3458	250	E40	91x226	1900	27000	
3466	350	E40	122x290	2000	34000	Acc.incorporato
3469	400	E40	122x290	2100	54000	
3461	1000	E40	166,5x400	1900	130000	



SODIO ALTA PRESSIONE TUBOLARE

COD.	WATT	ATTACCO	DIMENSIONI	KELVIN	CD	NOTE
3504	70	E27	32x156	1900	6600	
3505	100	E40	47x211	2000	10500	
3506	150	E40	47x211	2000	16500	
3507	250	E40	47x257	2000	32000	
3508	400	E40	47x283	2000	55000	
2142	400	E40	47x283	2000	55000	Sodio a.p.agro
4738	600	E40	47x283	1950	90000	
3493	1000	E40	66x390	2100	130000	



SODIO DOPPIO ATTACCO

COD.	WATT	ATTACCO	DIMENSIONI	KELVIN	CD
3509	70	Rx7s	20x114	2000	7000
3510	150	Rx7s	23x132	2000	15000
3511	250	Fc2	23x206	2000	25500
3512	400	Fc2	23x206	2000	48000




SODIO SDWT

COD.	WATT	ATTACCO	DIMENSIONI	KELVIN	CD
3514	35	Pg12-1	32x149	2500	1300
3515	50	Pg12-1	32x149	2500	2300
3516	100	Pg12-1	32x149	2500	4800



IODURI RX7S

COD.	WATT	ATTACCO	DIMENSIONI	KELVIN	CD
3527	70	Rx7s	21x117	3000	6000
3526	70	Rx7s	21x117	4200	5500
3520	70	Rx7s	21x117	5200	5000
2138	70	Rx7s	21x117	10000	5300
3529	150	Rx7s	24x135	3000	13000
3528	150	Rx7s	24x135	4000	12100
3521	150	Rx7s	24x135	5200	11000
2144	150	Rx7s	24x135	10000	9000




IODURI RX7S COLORATA

COD.	WATT	ATTACCO	DIMENSIONI	NOTE
4928	70	Rx7s	20x114	Arancio
4925	70	Rx7s	20x114	Blu
4926	70	Rx7s	20x114	Magenta
4927	70	Rx7s	20x114	Verde
3533	150	Rx7s	24x135	Arancio
3530	150	Rx7s	24x135	Blu
3532	150	Rx7s	24x135	Magenta
3531	150	Rx7s	24x135	Verde




IODURI FC2


COD.	WATT	ATTACCO	DIMENSIONI	KELVIN	CD
3538	250	Fc2	25x163	3000	20000
3537	250	Fc2	25x163	4200	20000
3536	250	Fc2	25x163	5200	20000
2145	250	Fc2	25x163	10000	14000
3535	400	Fc2	31x206	4200	38000
3534	400	Fc2	31x206	5400	36000



IODURI G12


COD.	WATT	ATTACCO	DIMENSIONI	KELVIN	CD
3542	70	G12	25x84	3000	5200
3541	70	G12	25x84	4200	5500
3544	150	G12	25x84	3000	13000
3543	150	G12	25x84	4200	13000





IODURI RX7S BRUCIATORE CERAMICO

COD.	WATT	ATTACCO	DIMENSIONI	KELVIN	CD
3547	70	Rx7s	21x117	3000	6100
3549	70	Rx7s	21x117	4200	5800
3548	150	Rx7s	24x135	3000	12500
3550	150	Rx7s	24x135	4200	12000




IODURI G12 BRUCIATORE CERAMICO

COD.	WATT	ATTACCO	DIMENSIONI	KELVIN	CD
3554	35	G12	20x100	3000	3400
3555	70	G12	20x100	3000	6600
3557	70	G12	20x100	4200	6400
3556	150	G12	20x110	3000	14000
3558	150	G12	20x110	4200	12700




IODURI G8,5 BRUCIATORE CERAMICO

COD.	WATT	ATTACCO	DIMENSIONI	KELVIN	CD
5700	20	G8,5	14x85	3000	1700
3320	35	G8,5	14x85	3000	6600
3321	70	G8,5	14x85	3000	12700




IODURI PG12 BRUCIATORE CERAMICO

COD.	WATT	ATTACCO	DIMENSIONI	KELVIN	CD
135	70	Pg12-1	31x149	3000	6600
136	70	Pg12-1	31x149	4200	5800
3323	150	Pgx12-2	31x149	4200	12000
3322	150	Pxg12-2	31x149	3000	12700



IODURI TUBOLARE CHIARA E40

COD.	WATT	ATTACCO	DIMENSIONI	KELVIN	CD	NOTE
3334	250	E40	47x257	4600	17000	
3335	400	E40	4x283	4500	30500	
3336	1000	E40	66x382	4300	82000	
3333	2000	E40	100x430	4000	240000	HQIT2000NES
3330	2000	E40	100x430	4500	200000	HQIT2000N
3329	2000	E40	100x430	6000	180000	HQIT2000D
3332	2000	E40	100x430	6000	180000	HQIT2000DI
4727	2000	E40	102x430	4300	20000	HPIT20003HO
3337	2000	E40	102x430	4900	189000	HPIT20002
3331	3500	E40	100x430	6000	320000	




IODURI TUBOLARE COLORATA E40

COD.	WATT	ATTACCO	DIMENSIONI	NOTE
4729	400	E40	47x286	Verde
4964	400	E40	47x286	Blu
4730	400	E40	47x86	Viola




IODURI TUBOLARE CHIARA BRUCIATORE CERAMICO

COD.	WATT	ATTACCO	DIMENSIONI	KELVIN	CD
3340	70	E27	32x156	3000	6300
5228	100	E40	47x132	3000	9000
3341	150	E40	47x211	3000	13500




IODURI ELISSOIDALE OPALE E27

COD.	WATT	ATTACCO	DIMENSIONI	KELVIN	CD
3344	70	E27	54x141	3100	4900
3343	70	E27	54x141	3800	4900
3346	100	E27	54x141	2900	80000
3345	100	E27	54x141	3800	7300
3348	150	E27	54x139	2900	12000
3347	150	E27	54x139	3800	10500




IODURI ELISSOIDALE CHIARA E27

COD.	WATT	ATTACCO	DIMENSIONI	KELVIN	CD
3351	70	E27	54x141	3200	5500
3350	70	E27	54x141	4000	5200
3353	100	E27	54x141	3000	8500
3352	100	E27	54x141	4000	7800
3355	150	E27	54x139	2900	12000
3354	150	E27	54x139	3800	10500




IODURI ELISSOIDALE OPALE E40


COD.	WATT	ATTACCO	DIMENSIONI	KELVIN	CD	NOTE
5231	100	E40	75x186	2850	8200	Cdmet100830
3371	150	E40	91x230	3000	13500	Cdmet150830
3369	250	E40	122x290	4300	17000	Hpi250bu
4733	400	E40	122x290	4300	19000	Hpibup250
3368	400	E40	122x290	4300	32500	Hpi400b
3370	400	E40	122x290	4300	32500	Hpi400bu
4732	400	E40	122x290	4300	35000	Hpibp400
4734	400	E40	122x290	4300	35000	Hpibup400
3367	400	E40	122x290	4700	26600	Hpi400



IODURI ELISSOIDALE CHIARA E40


COD.	WATT	ATTACCO	DIMENSIONI	KELVIN	CD	NOTE
5697	175	E40	89x216	4300	13600	Mvr175
5694	250	E40	89x216	4250	20800	Mvr250
5691	400	E40	117x295	4000	36000	Mvr400






I O D U R I P A R 2 0 E 2 7

COD.	WATT	ATTACCO	DIMENSIONI	KELVIN	ANGOLO	CD
3376	35	E27	65x95	3000	10	23000
3375	35	E27	65x95	3000	30	5000



I O D U R I P A R 3 0 E 2 7

COD.	WATT	ATTACCO	DIMENSIONI	KELVIN	ANGOLO	CD
3378	35	E27	97x125	3000	10	42000
3377	35	E27	97x125	3000	30	6000
3380	70	E27	97x125	3000	10	48000
3379	70	E27	97x125	3000	40	7000




I O D U R I P A R 3 8 E 2 7

COD.	WATT	ATTACCO	DIMENSIONI	KELVIN	ANGOLO	CD
3383	100	E27	121x135	3200	20	26000
3382	100	E27	121x135	3200	35	12000
3384	150	E27	121x135	3200	65	4500



I O D U R I P H I L I P S M H N M H D M H D T D

COD.	WATT	ATTACCO	DIMENSIONI	KELVIN	CD	NOTE
3387	1000	X528/c	40x295	4200	100000	MHNTD1000S
3385	1000	X528/c	40x295	5600	90000	MHDTD1000S
3389	1800	Sfc 20-6	41x364	5600	155000	MHD1800SI 230V
3390	1800	Sfc 20-6	41x364	5600	160000	MHD18004S 400V
4739	1800	X830/rod	41x364	5600	170000	MHD1800SHO 230V
3388	2000	X528/c	40x365	4200	220000	MHNTD2000S
3386	2000	X528/c	40x365	5600	190000	MHDTD2000S
3392	2000	X830/rod	41x365	5600	175000	MHD200095



I O D U R I O S R A M H Q I T S 1 0 0 0 / 2 0 0 0 W

COD.	WATT	ATTACCO	DIMENSIONI	KELVIN	CD	NOTE
3395	1000	Cavi	36x187	4400	90000	HQITS1000NDLS
3393	1000	Cavi	36x187	5900	90000	HQITS1000DS
3394	2000	Cavi	36x187	5800	200000	HQITS2000DS

