

micro segnalazione led

FILI USCENTI 1,4 X 3,8 mm

COD.	VOLT	MA	FILAMENTO	MSCP	VITA
3559	1,5	12	C-6	0,0032	100



FILI USCENTI T1 3,2 X 6,5 mm

COD.	VOLT	MA	FILAMENTO	MSCP	VITA
3962	3	50	C-2R	0,024	50000
3964	5	20	C-2R	0,034	50000
3957	5	60	C-2R	0,05	25000
3958	5	75	C-2R	0,09	25000
4921	5	115	C-2R	0,15	40000
3963	12	30	C-2F	0,036	5000
3967	12	60	C-2F	0,15	15000
3966	14	65	C-2F	0,15	5000
6339	18	26	C-2F	0,15	16000
6340	28	24	CC-2F	0,15	16000



FILI USCENTI T1 1/4 4,2 X 12 mm

COD.	VOLT	MA	FILAMENTO	MSCP	VITA
6286	5	60	C-2R	0,05	100000
6287	6	60	C-2v	0,05	25000
4053	12	60	C-2F	0,15	15000
4052	14	80	C-2F	0,5	25000
4049	24	35	C-2F	0,15	8000
6341	24	40	C-2F	0,15	5000
6342	28	40	C-2F	0,34	4000
4050	48	25	CC-2F	0,2	1000




FILI USCENTI T1 3/4 5,7 X 13,2 mm

COD.	VOLT	MA	FILAMENTO	MSCP	VITA
6413	6	100	C-2v	0,12	10000
4210	12	40	C-2F	0,09	10000
4211	28	40	C-2F	0,15	5000



micro segnalazione led




FILI USCENTI PISELLO 5 X 20 mm

COD.	VOLT	MA	NOTE
4350	6	140	
4433	6	140	Colorata
4351	12	95	
4434	12	95	Colorata
4352	24	50	
4436	24	50	Colorata



BI-PIN SFERA 11,7 X 21 mm

COD.	VOLT	MA	FILAMENTO	MSCP	VITA	NOTE
4443	6,3	150	C-6	0,35	5000	12
4444	14	100	C-6	0,09	1000	19




BI-PIN T1 1,27 3,2 X 9,5 mm

COD.	VOLT	MA	FILAMENTO	MSCP	VITA	NOTE
4446	5	60	C-2R	0,05	25000	7685
4451	5	75	C-2R	0,09	40000	7713
4450	12	60	C-2F	0,15	16000	8097
4447	28	24	CC-2F	0,15	16000	7839




BI-PIN T1 2,54 3,2 X 9,5 mm

COD.	VOLT	MA	FILAMENTO	MSCP	VITA
4457	5	60	C-2R	0,05	25000
4458	18	26	C-2F	0,15	16000
4459	24	24	CC-2F	0,15	16000
4460	28	24	C-2F	0,15	16000
5165	28	40	CC-2F	0,34	1000



BI-PIN T1 1/4 2,54 4,5 X 10 mm

COD.	VOLT	MA	FILAMENTO	MSCP	VITA	NOTE
4466	12	40	C-2F	0,1	10000	
4462	14	80	C-2F	0,3	15000	7646
4463	24	35	C-2F	0,1	25000	
4464	28	40	C-2F	0,34	4000	7632



BI-PIN T1 3,17 3,2 X 10 mm

COD.	VOLT	MA	FILAMENTO	MSCP	VITA
4469	5	60	C-2R	0,05	25000
4474	5	75	C-2R	0,09	40000
4473	12	60	C-2F	0,15	16000
5077	24	20	CC-2F	0,06	16000
4470	28	24	CC-2F	0,15	16000



BI - PIN T1 3/4 3,17 6 X 16 mm

COD.	VOLT	MA	FILAMENTO	MSCP	VITA	NOTE
3560	6,3	200	C-2R	0,55	5000	
3561	12	40	C-2F	0,1	10000	7371
3562	12	60	C-2F	0,15	16000	
3568	14	80	C-2F	0,3	15000	7382
3563	18	40	C-2F	0,3	10000	7370
3564	28	40	C-2F	0,34	4000	7327
5152	48	25	CC-2F	0,2	5000	
3565	60	20	CC-2F	0,15	5000	




SUB - MIDGET T1 3,17 X 9 mm

COD.	VOLT	MA	FILAMENTO	MSCP	VITA	NOTE
3574	5	60	C-2R	0,05	25000	685
6338	12	60	C-2F	0,1	10000	
3575	12	60	C-2F	0,15	16000	32
3576	24	20	CC-2F	0,05	25000	
3578	28	24	CC-2F	0,15	16000	6839



MS 2/8 MS 4

COD.	VOLT	MA	FILAMENTO	DIMENSIONI	MSCP	VITA
3582	6	60	C-2V	2,8x9	0,045	5000
3583	12	50	C-2V	2,8x9	0,012	5000
3581	16	30	C-2V	2,8x9	0,007	5000
3584	24	20	CC-2V	2,8x9	0,035	5000
4919	24	35	C-2F	4,65x13	0,1	25000
3585	28	20	CC-2V	2,8x9	0,005	5000
4929	28	40	C-2F	4,65x13	0,034	1000




MIDGET FLANGED T1 3/4 6 X 16 mm

COD.	VOLT	MA	FILAMENTO	MSCP	VITA	NOTE
3592	2,5	350	C-2R	0,2	10000	
3609	3	15	C-2V	0,03	10000	375
5064	6	40	C-2V	0,04	10000	
3596	6	100	C-2V	0,06	10000	
3597	6	200	C-2R	0,34	1000	328
3593	12	100	C-2V	0,32	2000	727
3598	14	80	C-2F	0,5	2500	330
3603	18	40	C-2F	0,15	10000	370
5063	24	40	C-2F	0,16	2000	
3595	24	60	C-2F	0,2	1000	
5065	28	25	C-2F	0,08	15000	
3599	28	40	C-2F	0,34	4000	327
3594	28	80	C-2F	0,8	1000	729
3602	36	20	C-2F	0,08	5000	
6154	36	30	CC-2F	0,27	5000	
5066	36	40	CC-2F	0,27	5000	



micro segnalazione led

COD.	VOLT	MA	FILAMENTO	MSCP	VITA	NOTE
3600	48	20	CC-2F	0,2	5000	
3601	60	20	CC-2F	0,15	5000	777
5550	70	20	CC-2F	0,24	1000	




MIDGET GROOVED T1 3/4 6 X 16 mm

COD.	VOLT	MA	FILAMENTO	MSCP	VITA	NOTE
3613	6	40	C-2V	0,04	10000	8705
3614	6	200	C-2R	0,34	1000	337
5067	6	400	C-2V	0,04	10000	
3611	12	40	C-2F	0,1	10000	354
3615	14	80	C-2F	0,5	2500	386
3610	24	20	C-2F	0,15	2000	
3616	28	40	C-2F	0,34	4000	388
3612	36	20	C-2F	80	5000	
3617	48	20	CC-2F	0,2	5000	
3618	60	20	CC-2F	0,15	5000	




MIDGET GROOVED T1 3/4 LED 5, 6 X 16 mm

COD.	VOLT	MA	NOTE
4485	24	15	Giulla dc 6 chips
4484	24	15	Rossa dc 6 chips
4483	24	15	Verde dc 6 chips
4482	24	16	Giulla dc 4 chips
4480	24	16	Rossa dc 4 chips
4479	24	16	Verde dc 4 chips
4481	28	15	Rossa dc 4 chips



E5 TUBOLARE 5, 8 X 17 mm

COD.	VOLT	MA	WATT	FILAMENTO	MSCP	VITA	NOTE
3629	1,5	110		C-2R	0,02	1000	
3631	2,5	200		C-2R	0,22	500	
3632	2,5	300		C-2R	0,2	1000	7312
3623	6	40		C-2R	0,04	5000	
3633	12	100	1,2	C-2V	320	10000	
4744	14	80		C-2V	0,16	5000	373
3624	18	40		C-2F	0,15	5000	
3634	24	40	1	C-2F	0,28	10000	687
3626	28	25		C-2F	0,15	16000	
3627	28	40		C-2F	0,34	4000	335
3628	60	20		CC-2F	0,15	5000	




BA5S TUBOLARE 6 X 16 mm

COD.	VOLT	MA	FILAMENTO	MSCP	VITA
3635	28	40	C-2F	0,03	7000




WEDGE T5 W 2 X 4,6 D 5 X 20 mm

COD.	VOLT	MA	WATT	FILAMENTO	MSCP	VITA
3640	6	30		C-2V	0,025	5000
3641	6	80		C-2V	0,07	5000
4746	6	150	1	C-2V	0,38	5000
3651	6	200	1,2	C-2V		2000
4745	6,3	40	0,25	C-2V	0,03	10000
3637	6,3	200		C-2F	0,04	20000
3642	12	30		C-2V	0,075	5000
3647	12	80	1	C-2V	0,01	5000
3643	12	100	1,2	C-2V	0,32	10000
3653	12	150	2	C-2F	0,075	1000
3654	12	190	2,3	C-2V		1000
6392	24	30		C-2F	0,015	5000
3649	24	40	1	C-2F	0,28	10000
3644	24	50	1,2	C-2F		5000
6445	24	80	2	C-2F		5000
3645	28	40		C-2F	0,3	7000
5431	48	25		CC-2F	0,13	1000




WEDGE T5 LED 5,6 X 20 mm

COD.	VOLT	MA	NOTE
4478	24	12	Gialla dc 6 chips
4477	24	12	Rossa dc 6 chips
4476	24	12	Verde dc 6 chips




WEDGE T10 W 2,1 D 10 X 28 mm

COD.	VOLT	WATT	MA	FILAMENTO	MSCP	VITA
3660	6	2	330	C-2V	0,76	3000
3663	6	3	500	C-2R		5000
3656	6,3	1	150	C-2V	0,24	10000
4747	6,3	1,6	250	C-2R	0,8	10000
4748	12	1,2	100	C-2V	0,32	10000
3664	12	2	80	C-2F	0,8	5000
5511	12	2,2	183	C-2V	0,32	1000
4749	12	3	250	C-2V	2	500
5096	12	5	400	C-2V	3	2000
3667	24	2	80	C-2F	0,8	5000
5097	24	3	125	C-2F	1,5	5000
3669	24	5	200	C-2F	4	1000
3658	28	1,68	60	C-2F	0,4	10000
3661	60	2,4	40	CC-2F	0,04	1000





WEDGE T15 T20

COD.	VOLT	WATT	DIMENSIONI	FILAMENTO	VITA
3673	12	10	15,7x31,8	C-2F	1000
4934	12	21	20,5x43	C-6	1000



micro segnalazione led



COD.	VOLT	WATT	DIMENSIONI	FILAMENTO	VITA
4935	12	21/5	20,5x43	C-6/C-6	1000

F 9 7 X 2 8 mm

COD.	VOLT	MA	WATT	FILAMENTO	VITA
3678	6	180	1	C-2R	1000
3679	24	80	2	C-2F	1000
3680	60	20	1,2	CC-2F	1000

B A 7 S 7 X 2 0 mm

COD.	VOLT	WATT	MA	FILAMENTO	VITA
3688	6	0,3	50	C-2V	2000
3692	6	0,6	100	C-2V	2000
3701	6	1,08	180	C-2V	2000
3704	6	1,2	200	C-2R	2000
5068	12	0,6	50	C-2V	2000
3693	12	1,2	100	C-2V	2000
3694	12	2	170	C-2V	2000
3695	24	0,6	25	C-2F	2000
4750	24	1,2	50	C-2F	2000
3705	24	1,5	60	C-2F	2000
3696	24	2	80	C-2F	2000
3697	24	3	125	C-2F	2000
5069	28	0,55	20	C-2F	2000
4803	28	1,12	40	C-2F	2000
3691	28	1,4	50	C-2F	1000
4932	30	1,5	50	C-2F	2000
5070	36	0,7	20	C-2F	2000
4804	36	1,5	42	C-2F	2000
6394	36	1,8	50	C-2F	2000
5037	48	1,2	25	CC-2F	1000
5071	60	1,2	20	C-2F	2000
3690	60	1,5	25	C-2F	2000

B A 7 S 7 X 2 3 mm


COD.	VOLT	WATT	MA	FILAMENTO	VITA
3708	6	0,24	40	C-2V	2000
5038	6	0,6	100	C-2R	2000
5039	6	1,2	200	C-2R	1000
5072	12	0,6	50	C-2V	2000
5073	12	2,2	100	C-2V	2000
5074	24	1	40	C-2F	2000
5075	24	2	80	C-2F	2000
4933	30	1,5	50	C-2F	2000
5076	36	1,8	50	C-2F	2000
5005	48	1	20	C-2F	2000
5004	48	2,4	50	C-2F	2000



COD.	VOLT	WATT	MA	FILAMENTO	VITA
3709	60	1,2	20	C-2F	2000
4751	60	2,4	40	C-2F	2000


B A G S S F E R A 1 1 X 2 4 mm

COD.	VOLT	WATT	MA	FILAMENTO	VITA
3714	3,5	0,7	200	C-2R	2000
5476	6	0,6	100	C-2V	1000
3713	6	1,8	300	C-2R	4000
5477	6	3	500	C-2R	1000
3711	12	2	165	C-2V	2000
5033	12	2,4	183	C-2V	3000
5478	12	3	250	C-2R	1000
3712	24	2	80	C-2F	2000
3381	30	2	65	C-2F	2000




B A G S S F E R A 1 5 X 2 8 mm

COD.	VOLT	WATT	MA	FILAMENTO	VITA
3716	6	3	500	C-2V	1000
3718	6	5	800	C-2V	1000
3717	12	5	416	C-2R	1000
3719	12	6	500	C-2V	1000
5032	24	5	200	C-2F	1000




B A G S S F E R A 1 7 X 3 0 mm

COD.	VOLT	WATT	MA	VITA	NOTE
3720	3,6	3,6	1000	100	Xenon
3721	6	6	1000	500	Xenon




B A G S T U B O L A R E 9 X 2 3 mm

COD.	VOLT	WATT	MA	FILAMENTO	VITA
3735	6	1,2	200	C-2V	2000
3747	6	1,5	250	C-2V	1000
3722	6	2	350	C-2R	2000
3744	6	3	500	C-2R	2000
3741	6	4	666	C-2R	2000
3723	12	2	165	C-2V	2000
4752	12	3	250	C-2R	2000
3734	24	1,2	50	C-2F	1000
6404	24	2	80	C-2F	2000
4753	24	3	125	C-2F	2000
3746	24	4	165	C-2F	2000
3733	28	1,68	600	C-2F	1000
6290	30	2	65	C-2F	2000
4754	30	3	100	C-2F	2000
4805	36	2	50	C-2F	2000
5078	48	1,2	25	C-2F	2000



micro segnalazione led



COD.	VOLT	WATT	MA	FILAMENTO	VITA
3727	48	2	40	C-2F	2000
4755	60	2,4	40	C-2F	2000
4845	60	3	50	C-2F	2000
3729	110	2	20	CC-6A	1000
3730	130	2,6	20	C-5A	1000
3731	220	3	14	C-7A	1000



B A G S T U B O L A R E 1 0 X 2 8 m m

COD.	VOLT	WATT	MA	FILAMENTO	VITA
6070	2,5	1,2	500	C-2R	3000
3767	5	0,45	90	C-2R	2000
3775	6	0,6	100	C-2V	2000
3778	6	1,1	180	C-2V	2000
4806	6	2,1	350	C-2R	2000
5079	6	3	500	C-2R	2000
3774	6,3	1,6	250	C-2R	2000
3777	6,5	2	300	C-2R	2000
3768	12	1,2	100	C-2V	2000
3787	12	2	165	C-2V	2000
3788	12	3	250	C-2R	2000
3769	14	1,14	80	C-2V	2000
3770	18	1,8	100	C-2V	2000
3772	18	3	100	C-2V	2000
4757	24	1,2	50	C-2F	2000
3789	24	2	80	C-2F	2000
3790	24	3	125	C-2F	2000
3791	28	1,1	40	C-2F	2000
3766	28	2,8	100	C-2F	2000
3771	30	1,2	40	C-2F	2000
3792	30	2	65	C-2F	2000
3793	30	3	100	C-2F	2000
3782	32	3	90	C-2F	1000
3794	36	2	50	C-2F	2000
3795	36	3	80	C-2F	2000
3783	42	1	25	C-2F	2000
3796	48	2	40	C-2F	2000
3780	48	2,4	50	C-2F	2000
3797	48	3	60	C-2F	2000
3784	48	4	800	C-2F	1000
3776	60	1,2	20	C-2F	2000
3798	60	2	30	C-2F	2000
3805	60	2,4	40	C-2F	2000
3799	60	3	50	C-2F	2000
5080	60	5	85	C-2F	2000
3781	80	2	250	C-3a	2000
4807	110	2	20	CC-6A	2000



COD.	VOLT	WATT	MA	FILAMENTO	VITA
3765	110	3	33	CC-3	2000
3800	130	2,6	20	C-5A	1000
3801	160	3,2	20	C-5A	1000
3779	220	2	90	CC-6	1000
3802	220	3	14	C-7A	1000
6282	220	5	20	CC-6	700
5081	240	3	12	C-7A	1000



B A 9 S TUBOLARE 10 X 28 LED 10 X 28 mm

COD.	VOLT	NOTE
4511	6	Gialla ac 8 chips
4509	6	Rossa ac 8 chips
4507	6	Verde ac 8 chips
4819	24	Gialla ac-dc 8 chips
4817	24	Rosso ac-dc 8 chips
4818	24	Verde ac-dc 8 chips
4504	48	Gialla ac-dc 8 chips
4502	48	Rossa ac-dc 8 chips
4500	48	Verde ac-dc 8 chips
4498	130	Bianca ac 1 chip
4827	130	Rossa ac 1 chip
4826	130	Verde ac 1 chip
4510	220	Gialla ac 8 chips
4508	220	Rossa ac 8 chips
4506	220	Verde ac 8 chips



B A 9 S 16 X 35 mm

COD.	VOLT	WATT	FILAMENTO	VITA
5168	24	4	C-2V	1000
3814	24	10	C-2V	1000
5170	110	4	C-7A	1000
5167	110	10	C-7A	1000
3813	220	10	C-7A	1000



B A 10 S 10 X 28 mm

COD.	VOLT	WATT	MA	FILAMENTO	VITA
3815	24	3	125	C-2F	2500



micro segnalazione led




E 1 0 S F E R A 1 1 X 2 4 mm

COD.	VOLT	WATT	MA	FILAMENTO	VITA
3816	1,5	0,3	200	C-2R	2000
3836	2,5	0,05	200	C-2R	2000
3837	3,5	0,7	200	C-2R	2000
3845	3,7	1,1	300	C-2R	2000
3833	3,8	1,14	300	C-2R	10
3827	4	0,16	40	C-2V	1000
3828	4	1,2	300	C-2R	500
3829	4	2	500	C-2R	500
3838	4,8	1,44	300	C-2R	2000
3830	6	0,3	50	C-2R	1000
3831	6	0,6	100	C-2V	2000
3839	6	2	350	C-2R	2000
5085	6	3	500	C-2R	2000
3853	6,3	0,95	150	C-2V	2000
3832	6,5	2	300	C-2R	2000
6071	12	1,2	100	C-2V	700
5086	12	2	180	C-2V	2000
3840	12	3	250	C-2R	2000
4808	24	2	80	C-2F	2000
3841	24	3	125	C-2F	2000
5040	24	4,8	200	C-2F	500
3825	30	2	65	C-2F	2000
3826	60	2	40	C-2F	2000



E 1 0 S F E R A 1 5 X 2 8 mm

COD.	VOLT	WATT	MA	FILAMENTO	VITA	NOTE
5092	2,4	2,4	1000	C-2R	300	
3860	3,95	3,16	800		750	Krypton
3861	4	2,68	670		400	Krypton
3864	6	2,4	400	C-2R	1000	
3867	6	3	500	C-2R	1000	
3868	6	5	500	C-2R	1000	
6512	6	6	1000	C-2R	2000	
3863	8	3,6	450	C-2R	2000	
3862	9	5	560	C-2V	500	
3858	12	1,2	100	C-2R	1000	
3865	12	3	250	C-2R	1000	
3859	12	6	500	C-2R	500	
3866	14	3	210	C-2V	1000	
4758	24	3	125	C-2F	2000	
3857	24	5	200	C-2F	500	



E 1 0 S F E R A 1 7 X 3 0 mm X E N O N

COD.	VOLT	WATT	MA	CD	VITA
3870	2,4	2,4	1000	19,5	10



COD.	VOLT	WATT	MA	CD	VITA
3871	3,6	0,9	250		500
3872	3,6	1,62	450	14,5	100
3873	3,75	3,4	900	31	500
3874	4	1,82	550	19	500
3869	4	3,2	800	30	500
3875	6	2,7	450		100
3876	6	5,4	900		500




E 10 TUBOLARE 9 X 23 mm

COD.	VOLT	WATT	MA	FILAMENTO	VITA
5082	6	1	180	C-2V	2000
3882	6	2	300	C-2R	2000
5083	12	2	165	C-2V	2000
6511	12	3	250	C-2R	2000
3884	14	2	140	C-2V	1000
4917	24	1,2	50	C-2F	2000
5084	24	2	80	C-2F	2000
3893	24	3	125	C-2F	2000
3886	30	2	65	C-2F	2000
3894	30	3	100	C-2F	2000
3887	36	2	50	C-2F	2000
3888	48	2	40	C-2F	2000
3889	60	2	30	C-2F	2000
5041	60	3	50	C-3A	1000
3890	110	2	18	C-3A	2000
3891	130	2,6	20	C-5A	2000
3892	220	3	14	C-7A	1000



E 10 TUBOLARE 10 X 28 mm

COD.	VOLT	WATT	MA	FILAMENTO	VITA
5087	6	0,6	100	C-2V	2000
4809	6	2	350	C-2R	2000
5088	6	3	500	C-2R	2000
4810	6,3	0,95	150	C-2V	2000
4811	6,3	1,6	250	C-2R	2000
3923	7	2,1	300	C-2R	2000
3913	12	0,6	50	C-2V	2000
6291	12	1,2	100	C-2V	2000
3934	12	2	165	C-2V	2000
3935	12	3	250	C-2R	2000
3928	12	4	330	C-2R	1000
3914	14	1,1	80	C-2V	2000
4812	14	2,8	200	C-2V	2000
4813	18	1,8	100	C-2V	2000
6493	18	3	170	C-2V	2000
3936	24	1,2	50	C-2F	2000s



micro segnalazione led



COD.	VOLT	WATT	MA	FILAMENTO	VITA
4760	24	2	80	C-2F	2000
3937	24	3	125	C-2F	2000
3938	30	2	65	C-2F	2000
3939	30	3	100	C-2F	2000
4761	36	2	50	C-2F	2000
4762	36	3	850	C-2F	2000
6292	42	2	45	C-2F	2000
6321	48	1	20	C-2F	2000
3940	48	2	40	C-2F	2000
3941	48	3	60	C-2F	2000
3925	52	3	60	C-2F	2000
5089	60	1,2	20	C-2F	2000
5090	60	2,4	40	C-2F	2000
3942	60	3	50	C-2F	2000
4794	70	3	40	C-2F	1000
3922	80	3	35	C-3A	2000
3908	110	2	20	CC-3	1000
3909	110	3	30	CC-3	1000
3910	130	2,6	20	C-5A	1000
5091	160	3	20	CC-6A	2000
3921	220	2	9	CC-6	1000
4763	220	3	15	C-7A	1000
4759	220	5	20	C-7A	1000
3912	240	3	12	CC-6A	1000




E 10 TUBOLARE LED 10 X 28 mm

COD.	VOLT	NOTE
4776	24	Gialla ac-dc 8 chips
4495	24	Rossa ac-dc 8 chips
4775	24	Verde ac-dc 8 chips



E 10 TUBOLARE 16 X 35 mm

COD.	VOLT	WATT	FILAMENTO	VITA
3948	12	5	C-2R	2000
3949	24	5	C-2V	2000
3952	48	5	C-2F	2000
3931	60	4	C-2F	2000
4764	80	4	C-5A	1000
3953	130	4	C-5A	1000
3951	160	5	C-5A	2000
3950	250	5	C-7A	2000



E 12 TUBOLARE E PICCOLA PERA

COD.	VOLT	WATT	DIMENSIONI	FILAMENTO	VITA	TIPO DI VETRO
515	6	6	19x48	C-2R	1500	Piccola pera
516	12	6	19x48	C-2V	1500	Piccola pera



COD.	VOLT	WATT	DIMENSIONI	FILAMENTO	VITA	TIPO DI VETRO
519	18	2	13x34	C-2F	2000	Tubolare chiara
520	24	3	13x54	C-2F	2000	Tubolare chiara
521	30	3	13x34	C-2F	2000	Tubolare chiara
4533	30	6	19x48	C-2V	1500	Piccola pera
5510	110/140	6/10	16x45	C-5A	2000	Tubolare chiara
522	115	5	13x34	C-5A	2000	Tubolare chiara
517	130	6	19x48	C-7A	1500	Piccola pera
523	220	4	13x34	C-7A	2000	Tubolare chiara
518	220	6	19x48	C-7A	1500	Piccola pera
4535	220	7	16x45	C-7A	2000	Tubolare chiara



E 1 4 TUBOLARE 1 3 X 3 0 mm

COD.	VOLT	WATT	MA	FILAMENTO	VITA
3977	12	1,2	100	C-2V	2000
3976	12	3	250	C-2V	2000
5043	24	1,2	50	C-2V	2000
3980	24	2	80	C-2F	2000
3978	24	3	125	C-2F	2000
3979	30	3	100	C-2F	2000
3981	48	2	40	C-2F	2000
3982	60	1,2	20	C-2F	2000
5108	60	3	50	C-3A	2000
5044	80	1,68	20	C-3A	2000
3984	80	3	37	C-3A	2000
3985	110	5	45	C-5A	2000
3986	220	3	13	C-7A	2000
3983	240	3	12	C-7A	2000




E 1 4 TUBOLARE 1 6 X 3 5 mm

COD.	VOLT	WATT	FILAMENTO	VITA
5109	6	5	C-2R	2000
6414	12	3	C-2V	2000
3997	12	5	C-2R	2000
5110	24	3	C-2F	2000
3987	24	5	C-2F	2000
3988	30	5	C-2V	2000
3989	36	5	C-2F	2000
3998	48	5	C-3A	2000
3990	60	5	C-3A	2000
3991	130	5	C-5A	2000
3995	140	7	C-5A	2000
3996	160	5	C-5A	2000
3992	220	5	C-7A	2000
3993	240	5	C-7A	2000
3994	260	7	C-7A	2000




micro segnalazione led



E 1 4 TUBOLARE 15 X 4 3 mm

COD.	VOLT	WATT	FILAMENTO	VITA
6072	250	7	C-7A	2000




E 1 4 TUBOLARE 16 X 5 4 mm

COD.	VOLT	WATT	FILAMENTO	VITA
4023	6	2	C-2R	2000
4025	12	5	C-2R	2000
4765	12	10	C-2R	2000
4026	12	15	C-2R	2000
4027	24	3	C-2F	2000
4028	24	5	C-2F	2000
4029	24	10	C-2V	2000
4030	24	15	C-2V	2000
5514	24	25	C-2V	1000
4031	30	5	C-2V	2000
4014	30	15	C-2V	2000
4017	36	5	C-2F	2000
4016	42	3	C-2F	2000
6131	42	10	C-2F	2000
5111	48	5	C-3A	2000
5112	48	10	C-3A	2000
5045	48	15	C-3A	2000
4820	60	5	C-3A	2000
4018	60	10	C-3A	2000
4024	78	5	C-3A	2000
4005	80	3	C-3A	2000
6132	80	7	C-2F	2000
4006	110	5	C-5A	2000
6396	130	5	C-5A	2000
4019	130	15	C-5A	2000
4032	140	7	C-5A	2000
5113	160	3	C-5A	2000
5114	220	5	C-7A	2000
4047	220	15	C-7A	1000
4010	240	3	C-7A	1000
4048	240	15	C-7A	1000
4011	260	3	C-7A	1000
4021	260	7	C-7A	2000
6362	260	10	C-7A	2000
6074	260	15	C-7A	1000
4036	280	5	C-7A	1000
4037	300	7	C-7A	1000
4766	380	10	C-7A	2000
4022	380	15	C-7A	1000




B A 1 5 D 1 3 X 3 0 mm

COD.	VOLT	WATT	MA	FILAMENTO	VITA
4054	12	1,2	100	C-2V	2000
4057	24	2	80	C-2F	2000
4055	24	3	125	C-2F	2000
4056	30	3	100	C-2F	2000
5034	60	2,4	40	C-2F	2000
4058	130	3	23	C-5A	2000
4059	220	3	12	C-7A	2000



B A 1 5 D 1 6 X 3 5 mm

COD.	VOLT	WATT	FILAMENTO	VITA
4069	6	5	C-2R	2000
4070	12	5	C-2R	2000
4074	24	5	C-2V	2000
4075	30	5	C-2V	2000
4062	36	5	C-2V	2000
4071	48	5	C-3A	2000
5028	60	2	C-2F	2000
4063	60	5	C-3A	2000
6283	85	5	C-3A	2000
4064	110	5	C-5A	2000
6360	130	5	C-5A	2000
4072	140	7	C-5A	2000
4073	160	5	C-5A	2000
4066	220	5	C-7A	2000
4067	240	5	C-7A	2000
4068	260	7	C-7A	2000




B A 1 5 D 1 6 X 5 4 mm


COD.	VOLT	WATT	FILAMENTO	VITA
4090	6	5	C-2R	200
4076	12	3	C-2R	2000
6122	12	5	C-2R	2000
4091	12	15	C-2R	2000
4098	24	5	C-2V	2000
4093	24	15	C-2V	2000
4092	24	25	C-2V	2000
4078	30	3	C-2V	2000
6123	30	5	C-2V	2000
4088	30	10	C-3A	1000
4089	30	15	C-2V	2000
5099	36	5	C-2V	2000
6124	42	10	C-2F	2000
4079	48	3	C-2F	2000
6125	48	5	C-3A	2000



micro segnalazione led




COD.	VOLT	WATT	FILAMENTO	VITA
4080	60	3	C-2F	2000
4094	60	10	C-3A	2000
4081	110	3	C-5A	2000
5035	110/140	7/10	C-7A	2000
4082	130	3	C-5A	2000
4083	160	3	C-5A	1000
6116	160	5	C-7A	2000
4084	220	3	C-7A	1000
5100	220/260	3/5	C-7A	2000
4095	220/260	10/15	C-7A	1000
4103	220	15	C-7A	1000
4085	240	3	C-7A	1000
4086	260	3	C-7A	1000
4087	380	10	C-7A	2000



TELEFONICA T 4,5 4,5 X 16,5 mm

COD.	VOLT	MA	FILAMENTO	MSCP	VITA
4109	6	40	C-2V	0,048	10000
4110	6	50	C-2R	0,08	5000
4114	6	200	C-2R	0,34	5000
5102	12	20	C-2V	0,032	10000
4105	12	40	C-2V	0,088	10000
4106	24	20	C-2F	0,075	10000
4107	24	40	C-2F	0,239	10000
4814	30	20	C-2F	0,104	10000
4108	30	40	C-2F	0,287	10000
4113	36	20	C-2F	0,143	10000
4115	48	20	CC-2F	0,239	5000
4116	60	20	CC-2F	0,191	5000



TELEFONICA T 4,6 4,6 X 22 mm

COD.	VOLT	MA	FILAMENTO	MSCP	VITA
4117	6	20	C-2V	0,024	10000
5103	6	40	C-2V	0,048	10000
4118	6	50	C-2R	0,08	5000
4123	12	20	C-2V	0,032	10000
4124	12	40	C-2V	0,088	10000
5154	18	25	C-2F	0,08	5000
5513	24	20	C-2F	0,075	10000
4125	24	40	C-2F	0,239	10000
4128	24	50	C-2F	0,279	10000
4129	30	20	C-2F	0,104	10000
4130	30	40	C-2F	0,287	10000
4131	36	20	C-2F	0,143	1000
4132	48	20	CC-2F	0,127	5000
4127	60	20	CC-2F	0,191	5000



TELEFONICA T 5,5 K 5,5 X 22 mm

COD.	VOLT	MA	FILAMENTO	MSCP	VITA
6343	6	20	C-2V	0,024	10000
4134	6	40	C-2V	0,048	10000
4135	12	20	C-2V	0,032	10000
4136	12	40	C-2V	0,088	10000
5104	12	50	C-2V	0,159	10000
4137	24	20	C-2F	0,075	10000
4162	24	40	C-2F	0,239	10000
4815	24	50	C-2F	0,279	10000
6416	28	50	C-2F	0,4	5000
6344	30	20	C-2F	0,104	10000
4141	30	40	C-2F	0,287	10000
5105	36	20	C-2F	0,143	10000
5106	36	40	C-2F	0,358	5000
4143	48	20	CC-2F	0,127	5000
6322	48	30	CC-2F	0,279	5000
4144	60	20	CC-2F	0,191	5000
4142	70	20	CC-2F	0,247	5000




TELEFONICA T 5,5 5,5 X 30 mm


COD.	VOLT	MA	FILAMENTO	MSCP	VITA
4147	6	20	C-2V	0,024	10000
4148	6	40	C-2V	0,048	10000
4167	6	50	C-2R	0,08	5000
4168	6	80	CC-6	0,18	7000
4169	6	200	C-2R	0,34	5000
4149	12	20	C-2V	0,032	10000
4150	12	40	C-2V	0,088	10000
4171	12	50	C-2V	0,159	10000
4172	12	100	C-2V	0,25	5000
4173	16	50	C-2F	0,21	5000
4174	18	25	C-2F	0,096	10000
4163	24	20	C-2F	0,075	10000
4936	24	40	C-2F	0,239	10000
4164	24	50	C-2F	0,279	10000
6323	24	80	C-2F	0,373	5000
4176	28	20	C-2F	0,075	5000
4177	28	40	C-2F	0,303	10000
4178	28	50	C-2F	0,279	10000
4153	30	20	C-2F	0,104	10000
6345	30	30	C-2F	0,145	5000
4155	30	40	C-2F	0,287	10000
4179	30	50	C-2F	0,318	5000
4156	36	20	C-2F	0,143	10000
4157	36	40	C-2F	0,358	5000
4158	48	20	CC-2F	0,127	5000



micro segnalazione led




COD.	VOLT	MA	FILAMENTO	MSCP	VITA
4180	48	30	CC-2F	0,279	5000
4159	48	40	CC-2F	0,358	5000
4160	60	20	CC-2F	0,191	5000
6157	70	20	CC-2F	247	5000
4165	70	40	CC-2F	0,247	5000
4183	80	20	CC-2F	0,28	4000



TELEFONICA T 5,5 LED 5,6 X 3 2 mm

COD.	VOLT	NOTE
4492	24	Gialla dc 6 chips
4490	24	Rossa dc 6 chips
4488	24	Verde dc 6 chips




TELEFONICA T 6,8 6,8 X 4 4 mm

COD.	VOLT	MA	FILAMENTO	MSCP	VITA
4184	6	40	C-2V	0,48	5000
4185	12	20	C-2V	0,032	10000
4186	12	40	C-2V	0,088	5000
4202	12	100	C-2V	0,255	10000
4187	24	20	C-2F	0,064	10000
4203	24	25	C-2F	0,08	5000
4188	24	40	C-2F	0,239	10000
6161	24	50	C-2F	3,5	5000
4189	24	80	C-2F	0,374	5000
4205	28	45	C-2F	0,239	5000
4190	30	20	C-2F	0,143	5000
4191	30	40	C-2F	0,287	10000
4197	30	50	C-2F	0,318	5000
4192	36	40	C-2F	0,358	10000
6172	36	50	C-2F	0,39	5000
4193	48	20	CC-2F	0,16	5000
4207	48	25	CC-2F	0,175	5000
4194	48	40	CC-2F	0,358	5000
5156	48	50	CC-2F	0,382	5000
4198	60	20	CC-2F	0,183	5000
4196	60	40	CC-2F	0,518	5000
4208	60	50	CC-2F	0,557	5000
5157	70	20	CC-2F	0,239	5000
4201	70	40	CC-2F	0,557	5000




TELEFONICA PSB 6,5 X 28 mm

COD.	VOLT	MA	FILAMENTO	MSCP	VITA
4212	6	140	C-2V	0,12	20000
4213	12	170	C-2F	0,35	12000
4214	24	73	C-2F	0,5	10000
4215	28	40	C-2F	0,26	5000
4216	48	53	CC-2F	0,52	1000
4217	60	50	CC-2F	0,557	7500
4218	120	25	CC-7A	0,36	3000



TELEFONICA ESB 6,5 X 23 mm

COD.	VOLT	MA	FILAMENTO	MSCP	VITA
4219	24	40	C-2V	0,088	5000



E10 LENTICOLARE 9 X 24 mm

COD.	VOLT	MA	FILAMENTO	VITA
5093	1,2	220	S-2	5
4229	2,2	180	C-2R	50
5094	2,2	250	C-2R	50
4227	2,5	200	C-2R	50
5095	2,5	250	C-2R	50
4230	2,5	300	C-2R	50
4222	3,5	270	C-2R	50
4228	3,7	300	C-2R	50
4224	3,8	300	C-2R	50




FIAMMA PLASTICA E10

COD.	VOLT	MA	DIMENSIONI	VITA
4453	6	150	15x45	1000
4454	12	90	15x45	1000
4841	24	50	15x45	1000



PREFOCUS P13,5S 11,5 X 30 mm

COD.	VOLT	MA	FILAMENTO	VITA	NOTE
4262	2,2	450	C-2R	15	Krypton
6357	2,4	750	C-2R	1000	Krypton
6353	2,5	500	C-2R	10	
6354	3,6	500	C-2R	15	
6358	3,6	750	C-2R	1000	Krypton
4246	3,7	300	C-2R	50	
6355	4,8	500	C-2R	30	
6359	4,8	750	C-2R	1000	Krypton
6356	6	500	C-2R	15	
4240	7,2	550	C-2R	3	
4244	7,2	550	C-2R	15	Krypton
4247	12	250	C-2R	50	



micro segnalazione led




P/RFOCUS ALOGENA PX13 9,3 X 31 mm

COD.	VOLT	MA	WATT	CD	VITA
4265	2,8	850	2,38	35	10
4266	4	850	3,4	60	25
4275	5,2	500	2,6	48	15
4267	5,2	850	4,42	85	25
4268	6	850	5,1	90	25




E10 ALOGENA 9,3 X 31 mm

COD.	VOLT	MA	WATT	CD	VITA
4282	2,8	850	2,38	35	10
4280	4	500	2	33	15
4283	4	850	3,4	60	25
4284	5,2	500	2,6	48	15
4285	5,2	850	4,42	85	25



BA9S ALOGENA

COD.	VOLT	WATT	MA	DIMENSIONI	CD	VITA
4286	12	5	420	9,3x33	80	200
4287	12	10	830	9,3x33	200	200
4288	12	20	1250	9,3x33	450	200



FILI USCENTI NEON

COD.	VOLT	DIMENSIONI	NOTE
4296	95	6x12	
4297	95	6x16	
5166	110	6x12	Con resistenza
4298	220	6x16	Con resistenza



MIDGET FLANGED NEON 6 X 16 mm

COD.	VOLT	MA	DIMENSIONI	VITA
4300	85	2	6x16	10000



MIDGET GROOVED NEON 6 X 16 mm

COD.	VOLT	MA	DIMENSIONI	VITA
4301	110	2	6x16	10000
4302	220	2	6x16	10000




B A 7 S NEON 7 X 23 mm

COD.	VOLT	MA	DIMENSIONI	VITA
4304	110	2	7x23	10000
4305	220	2	7x23	10000



S I L U R O NEON 6 X 27 mm

COD.	VOLT	MA	DIMENSIONI	VITA
4306	110	1	6x27	15000
4307	220	1	6x27	15000
4308	380	1	6x27	15000



B A 9 S NEON PLASTICA 10 X 28 mm

COD.	VOLT	MA	DIMENSIONI	VITA
4310	110	2	10x28	10000
4311	220	2	10x28	10000
4312	380	1	10x28	10000



B A 9 S NEON 10 X 28 mm

COD.	VOLT	MA	DIMENSIONI	VITA
4315	110	2	10x28	10000
4316	220	2	10x28	10000
4314	380	1	10x28	10000



E 1 0 NEON PLASTICA 10 X 28 mm

COD.	VOLT	MA	DIMENSIONI	VITA
4321	110	2	10x28	10000
4322	220	2	10x28	10000
4323	380	1	10x28	10000




E 1 0 NEON 10 X 28 mm

COD.	VOLT	MA	DIMENSIONI	VITA
4324	110	2	10x28	10000
4325	220	2	10x28	10000
4326	380	1	10x28	10000




micro segnalazione led



BA15D NEON 16 X 35 mm

COD.	VOLT	MA	DIMENSIONI	VITA
4328	110	2	16x35	10000
5505	220	2	13x30	10000



BA15D NEON 16 X 52 mm

COD.	VOLT	MA	DIMENSIONI	VITA
6147	110	2	16x54	10000
5061	220	2	16x52	10000
4329	380	1	16x52	10000



E14 NEON 13 X 30 mm

COD.	VOLT	MA	DIMENSIONI	VITA
4331	110	2	13x30	10000
4332	220	2	13x30	10000
6148	380	1	13x30	10000




E14 NEON PLASTICA 16 X 52 mm

COD.	VOLT	MA	DIMENSIONI	VITA
4334	110	2	16x52	10000
4335	220	2	16x52	10000
4336	380	1	16x52	10000



E14 NEON 16 X 52 mm

COD.	VOLT	MA	DIMENSIONI	VITA	NOTE
5060	110	2	16x52	10000	
4339	220	2	16x52	10000	
4338	220	3	16x52	10000	Fluoro
4337	380	1	16x52	10000	



TELEFONICA T5,5 NEON 5 X 30 mm

COD.	VOLT	MA	DIMENSIONI	VITA
4986	110	1,5	5x30	10000
4987	220	1,5	5x30	10000


TELEFONICA T5,5K NEON 5,5 X 22 mm

COD.	VOLT	MA	DIMENSIONI	VITA
5141	110	1,5	5x22	10000
6165	220	1,5	5x22	10000




TELEFONICA T 4,5 NEON 4 X 16 mm

COD.	VOLT	MA	DIMENSIONI	VITA
4345	110	5	4x16	10000
4346	220	5	4x16	10000




TELEFONICA T 4,6 NEON 4 X 22 mm

COD.	VOLT	MA	DIMENSIONI	VITA
4347	110	5	4x22	10000
4348	220	5	4x22	10000




TELEFONICA T 6,8 NEON 6 X 46 mm

COD.	VOLT	MA	DIMENSIONI	VITA
5142	110	1,5	6x46	15000
5143	220	1,5	6x46	15000




SILURO TERMINALI PIATTI 6,4 X 30 mm

COD.	VOLT	WATT	MA	VITA
4355	6,3	0,94	150	5000
4356	8	2,4	300	5000
5047	12	1,8	150	5000




SILURO SV 6 6 X 24 mm

COD.	VOLT	WATT	MA	FILAMENTO	VITA
4358	12	2	170	C-6	1000
4357	24	1,2	50	C-6	2000
4359	26	1	40	C-6	1000




SILURO SV 6 6 X 28 mm

COD.	VOLT	WATT	MA	FILAMENTO	VITA
5049	6	1,2	200	C-6	1000
4360	12	1,2	100	C-6	1000




micro segnalazione led




SILURO SV6 6 X 31 mm

COD.	VOLT	WATT	MA	FILAMENTO	VITA
4770	6	1	165	C-6	1000
4366	12	2	166	C-6	1000
4373	12	3	250	C-6	2000
4371	24	2	80	C-6	1000
4374	24	3	125	C-6	2000
4372	28	3	107	C-6	1000
4367	30	1,5	50	C-6	1000
6361	30	5	170	C-6	2000
4368	36	1,2	35	C-6	1000
4369	48	3	60	C-6	1000
4370	60	3	50	C-6	1000




SILURO SV6 6 X 36 mm

COD.	VOLT	WATT	MA	FILAMENTO	VITA
6135	6	3	500	C-6	1000
4377	12	1,2	100	C-6	500
4378	12	3	250	C-6	2000
4816	24	3	125	C-6	2000
4376	36	3	85	C-6	1000
4375	48	3	60	C-6	1000



SILURO SV6 6 X 39 mm

COD.	VOLT	WATT	MA	FILAMENTO	VITA
4379	6	3	500	C-6	1000
6080	12	1,2	100	C-6	1000
4395	12	3	250	C-6	1000
4396	24	3	125	C-6	1000
4380	28	2	75	C-6	1000
4383	30	3	100	C-6	1000
4381	36	3	85	C-6	1000
4382	60	3	50	C-6	1000




SILURO SV7 8 X 28 mm

COD.	VOLT	WATT	MA	FILAMENTO	VITA
4384	6	3	500	C-6	1000
4392	6	5	833	C-6	1000
4385	12	3	250	C-6	1000
4386	24	3	125	C-6	1000




SILURO SV 7 8 X 31 mm

COD.	VOLT	WATT	MA	FILAMENTO	VITA
4390	12	3	250	C-6	2000
4388	12	5	420	C-6	1000
4389	12	10	830	C-6	1000
4387	15	3	200	C-6	1000
5050	30	3	100	C-6	1000




SILURO SV 7 8 X 36 mm

COD.	VOLT	WATT	MA	FILAMENTO	VITA
4402	6	3	500	C-6	1000
4397	6	5	800	C-6	1000
4398	12	3	250	C-6	2000
4399	24	3	125	C-6	2000




SILURO SV 7 8 X 39 mm

COD.	VOLT	WATT	MA	FILAMENTO	VITA
6324	6	3	500	C-6	2000
6325	6	5	800	C-6	2000
6326	12	3	250	C-6	2000
6327	12	5	450	C-6	2000
5805	24	5	200	C-6	1000
5807	24	10	410	C-6	1000
4404	30	3	100	C-6	1000




SILURO SV 8,5 11 X 39 mm

COD.	VOLT	WATT	MA	FILAMENTO	VITA	NOTE
4406	6	5	830	C-6	1000	
4407	12	5	416	C-6	1000	
4411	12	6	500	C-6	1000	Xenon
4409	12	10	830	C-6	1000	
6494	24	5	210	C-6	2000	
4410	24	10	410	C-6	1000	
6328	28	6	200	C-6	2000	
6329	30	3	100	C-6	2000	
4796	48	5	100	C-6	200	
5494	60	3	50	C-6	1000	
4413	60	5	80	C-6	1000	
6443	80	5	60	C-6	1000	




SILURO SV 8,5 11 X 43 mm


COD.	VOLT	WATT	MA	FILAMENTO	VITA
4417	6	5	830	C-6	200
4422	6	10	1670	C-6	200
6138	12	3	250	C-6	1000
4419	12	5	410	C-6	200
6521	12	10	830	C-6	1000



micro segnalazione led




COD.	VOLT	WATT	MA	FILAMENTO	VITA
4414	24	3	125	C-6	1000
4420	24	5	200	C-6	1000
6522	24	10	415	C-6	200
4415	48	5	100	C-6	1000
6136	60	3	50	C-6	1000



SILURO SV 8,5 15 X 43 mm

COD.	VOLT	WATT	MA	FILAMENTO	VITA
4425	6	15	2500	C-6	500
4427	6	18	3000	C-6	200
6523	12	15	1250	C-6	200
4428	12	18	1500	C-6	200
4429	12	21	1750	C-6	200
6137	24	3	125	C-6	1000
6524	24	15	630	C-6	200
4430	24	18	750	C-6	200
4423	30	10	333	C-6	500



SILURO FILI RIGIDI 10,5 X 44 mm XENON

COD.	VOLT	WATT	MA	FILAMENTO	VITA
4773	12	5	420	C-6	20000
4774	12	10	830	C-6	20000
6295	24	5	200	C-6	20000
5140	24	8,5	350	C-6	20000

