



infrarossi e ultravioletti

per impieghi speciali

INFRAROSSI RIFLETTORE E27

COD.	WATT	DIMENSIONI	VITA	TIPO DI VETRO	ATTACCO	NOTE
1765	100	122x136	5000	Par38	E27	Rossa
5943	150	121x136	5000	Par38	E27	Rossa
1606	150	125x181	5000	R125	E27	Rossa
1607	250	125x181	5000	R125	E27	Rossa
1608	250	125x181	5000	R125	E27	Chiara
1609	375	125x181	5000	R125	E27	Satinata



INFRAROSSI IN CERAMICA

COD.	VOLT	WATT	TIPO DI VETRO	DIMENSIONI	VITA	ATTACCO
1851	220	60	R95	75x95	10000	E27
1852	220	100	R95	75x95	10000	E27
1853	220	150	R95	90x130	10000	E27
1854	220	250	R95	90x130	10000	E27
1855	220	650		245x60	10000	Cavi
1856	220	1000		245x60	10000	Cavi




FILAMENTO DI CARBONE

COD.	VOLT	WATT	ATTACCO	DIMENSIONI	VITA
4843	220	60	E27	60x105	2500



INFRAROSSI LINEARI 2450K°

COD.	VOLT	WATT	DIMENSIONI	POSIZIONE	VITA	ATTACCO	NOTE
1878	120	500	12x241	Orizzontale	5000	X	13169x
1867	144	1200	11x224	Orizzontale	5000	Y	13561y
1868	144	1600	11x224	Orizzontale	5000	Y	13568y
4617	144	1600	11x224	Orizzontale	5000	Y	13568y98
1860	220	300	12x117	Orizzontale	1000	R7s	13908r
1873	220	500	12x230	Orizzontale	5000	Sk15	13169z98
1874	220	1000	11x357	Orizzontale	5000	Sk15	13195z98
1875	220	1000	11x357	Universale	5000	Sk15	13713z98
1871	220	1000	11x360	Orizzontale	7000	Sk15	15007z
1885	220	1000	11x360	Universale	5000	X	15008x
1886	220	1000	11x370	Orizzontale	5000	X	13195x98
1879	220	1000	12x370	Orizzontale	5000	X	13195x
1889	220	1000	12x370	Universale	5000	X	13713x98




Z




infrarossi e ultravioletti per impieghi speciali

COD.	VOLT	WATT	DIMENSIONI	POSIZIONE	VITA	ATTACCO	NOTE
1883	220	1000	12x370	Verticale	5000	X	13713x
1869	220	1500	11x370	Orizzontale	7000	Sk15	15004z
1872	220	2000	11x357	Verticale	5000	Sk15	13168z98
1870	220	2000	11x370	Orizzontale	7000	Sk15	15005z
1876	220	2000	12x357	Orizzontale	5000	Sk15	14103z98
6372	220	2000	12x370	Universale	5000	X	13168x
4618	240	1600	12x503	Orizzontale	5000	U	1600t3cl
1882	380	2000	12x508	Orizzontale	5000	X	13245x
1888	380	2000	12x508	Orizzontale	5000	X	13245x98
1884	380	2000	12x508	Verticale	5000	X	13765x
1880	380	3000	12x798	Orizzontale	5000	X	13215x
1881	380	3000	12x798	Verticale	5000	X	13230x
1887	380	3000	12x798	Verticale	5000	X	13230x98
1863	400	4600	12x304	Orizzontale	1000	V	13136v
1864	480	6000	12x250	Orizzontale	5000	V	13138v
1865	480	6000	12x250	Orizzontale	5000	V	13170v



XENON

COD.	WATT	VOLT	DIMENSIONI	VITA	NOTE
1615	750	52	12x238	500	Xop7
1616	1500	100	12x392	500	Xop15
1617	2000	115	12x537	500	Xop25



5151

VAPORI DI MERCURIO SPECIALI

COD.	WATT	ATTACCO	DIMENSIONI	TIPO DI VETRO	VITA	NOTE
5151	100	E27	121x136	Par38		H44gs100
1633	100	E30	121x136	Par38		H44gs100
4597	125	Ba15d	31,5x91		1000	Hpk125
1628	125	E27	112x223	Riflettore	2000	Hpr125
1629	300	E27	127x185	R125	1000	Ultravitalux
1621	2000	Cavi	14,5x762			Htq7
1619	2000	Sk32	24x195		1000	Hok2
1623	4000	Speciale				Htq14
1620	5000	Sk32	24x716		1000	Hok6
1622	11000	Sk32	24x1415		1000	Hok14



1628



4597



1620



WOOD E27 E40

COD.	WATT	DIMENSIONI	ATTACCO	NOTE
1638	125	75x172	E27	
1637	160	75x172	E27	220V
1634	400	185x295	E40	


infrarossi e ultravioletti per impieghi speciali

FLUORESCENTI WOOD

COD.	WATT	ATTACCO	DIMENSIONI
5215	4	G5	16x135
1642	6	G5	16x212
1643	8	G5	16x288
1646	9	G23	28x13x167
1639	15	G13	26x435
1644	18	G13	26x590
6403	30	G13	26x895
1645	36	G13	26x1200

FLUORESCENTI ULTRAVIOLETTI ATTINICI BL

COD.	WATT	ATTACCO	DIMENSIONI	NOTE
1656	4	G5	16x135	Attinico
1657	6	G5	16x212	Attinico
1658	8	G5	16x288	Attinico
1653	9	G23	27x12x167	9/71
1654	9	G23	27x12x167	9/78
1674	9	G23	28x13x167	9/10
1663	11	G5	16x288	Attinico
4599	15	G13	26x435	Superattinico
1666	15	G13	26x438	Attinico
4598	15	G5	16x288	Attinico
1655	18	2g11	38x18x217	18/71
6386	20	E27	45x178	Attinico 220v
6496	20	G13	28x589	F20t9bl
1659	20	G13	38x590	2003
1660	20	G13	38x590	2005
1668	22	G10q	30x210	Attinico
4602	22	G10q	30x210	Attinico
4603	30	G13	26x437	Superattinico
1673	30	G13	26x437	Attinico
4600	30	G13	26x895	Superattinico
1759	36	2g11	38x18x385	Attinico
4601	36	G13	26x1200	Superattinico
1661	40	G13	38x1200	4003
1662	40	G13	38x1200	4005
1753	40	G13	38x590	K40/10r
1669	40	G13	38x600	K4003
1670	40	G13	38x600	K4005
1667	60	G13	38x1200	Attinico
1672	65/80	G13	38x1500	Attinico
1747	80	G13	38x1500	80/10r
1748	100	G13	38x1800	100/10r
1665	140	G13	38x1500	Super attinico
1671	140	G13	38x1500	Attinico
1746	140	G13	38x1500	140/10



infrarossi e ultravioletti per impieghi speciali



GERMICIDA 253,7NM

COD.	WATT	ATTACCO	DIMENSIONI	VITA	NOTE
1697	4	G5	16x136	5000	G4t5
6497	5	G23	28x13x105	8000	
4604	6	E27	28x158	2500	220v tuv6
1684	6	G10q	16x225	6000	G6t5l4p
4606	6	G5	16x212	8000	G6t5
1691	8	G10q	20,6x214	3000	G1k8cq
1692	8	G10q	20,6x341	3000	G1d8cq
1699	8	G5	16x288	6000	G8t5
1700	9	G23	28x13x167	8000	
5193	10	G10q	16x357	9000	G10t5l4p
6100	10	G13	26x330	6000	G10t8
1686	11	G10q	16x225	6000	G11t54p
5848	11	G10q	20x248	9000	G11t54p
1702	11	G23	28x13x236	8000	
4607	11	G5	16x212	8000	G11t5
1693	15	G10q	20,6x364	3000	G1d15cq
1703	15	G13	26x438	8000	G15t8
1704	16	G5	16x288	8000	
1687	20	G13	32,5x590	5000	G20t10
1688	22	G10q	16x436	7500	G22t5l4p
4605	25	G13	26x437	8000	G25t8
1705	30	G13	26x895	8000	G30t8
1710	36	2g11	38x18x417	8000	
1701	36	Fa6	19x842	8000	G36t6
5849	36	G10q	20x849	9000	G36t5l4p
1706	36	G13	26x1200	8000	G36t8
1690	40	G13	32x1200	8000	G40t10
1711	55	2g11	38x18x535	8000	
1707	55	G13	26x894	8000	
4856	65	Fa6	18,3x155	8000	G64t5l
6515	65	G10q	20x1561	9000	G64t5l4p
1708	75	G13	25x1200	8000	
1709	115	G13	26x1200	8000	



4604



1684



1710



1701



FLUORESCENTI UVB

COD.	WATT	ATTACCO	DIMENSIONI	VITA	NOTE
1733	8	G5	16x288	3000	F8t5uvb
1738	9	G23	28x13x167	3000	9/12
1734	15	G13	26x435	3000	F15t8uvb
1735	20	G13	38x590	3000	20/01
1736	20	G13	38x590	3000	20/12
4609	40	G13	38x1200	3000	F40t12uvb
1737	100	R17d	38x1782	3000	100/01



1738



FLUORESCENTI PER FOTOTERAPIA


COD.	WATT	ATTACCO	DIMENSIONI	VITA	NOTE
1742	9	G23	28x13x167	2000	9/52
1739	20	G13	380x590	2000	20/52

UVA ABBRONZATURA

COD.	WATT	ATTACCO	DIMENSIONI	TIPO DI VETRO
1754	15	G5	16x290	
1749	15	G5	16x302	Riflettore
1756	20	G13	26x430	
1750	25	G5	16x531	Riflettore
1751	40	G13	38x590	
1752	80	G13	38x1500	
1763	80	G13	38x1500	Riflettore
1757	100	G13	38x1800	
5230	100	G13	38x1800	Riflettore
1762	140	G13	38x1500	Riflettore
1764	160	G13	38x1800	Riflettore

METALALOGENE

COD.	WATT	ATTACCO	DIMENSIONI	NOTE
1796	200	R7s	13,5x82	Q255z4
1798	400	Cavi		Q411z4
1848	400	Cavi	18x104	Hpa40030sc
1850	400	R7s	18x104	Hpa40030s q402z4
1849	400	R7s	18x118	Hpa400s q412z4
1833	460	Cavi	22x98	Hpm12
4615	600	Speciale		Bq610z4
1840	820	Cavi	18,3x111	Hpa816r
1805	1000	Cavi		Q1144z4 ths1047
1806	1000	Cavi		Q1148z1 th1000
1769	1000	Cavi		Th1037
1783	1000	Cavi		Ths417
1843	1000	Cavi	24x137	Hpa1001r
1847	1000	Cavi	28x129	Hpa100020 th1007 q1148z4
1839	1000	Cavi	28x147	Hpa1000
1834	1000	Cavi	28x147	Hpm13
1845	1200	Cavi	28x139	Hpa1200s
1844	1200	Cavi	28x147	Hpa1200r
1841	1800	Cavi	28x130	Hpm2010 th3000 q2128z1
1809	2000	Cavi		Q2123z4
1811	2000	Cavi		Q2128z4 th3007
1812	2000	Cavi		Q2131z4
1825	2000	Cavi		Q2136z11
1835	2000	Cavi	26x151	Hpm19 th2000
1846	2000	Cavi	28x177	Hpa2000s q2829z4



infrarossi e ultravioletti per impieghi speciali

COD.	WATT	ATTACCO	DIMENSIONI	NOTE
 1838	2000	Cavi	30x175	Hpm17 q2123z11
1836	2000	Cavi	35x197	Hpm30 th4010 q4137z1
1837	2000	Cavi	35x205	Hpm15 q2137z11
1842	4000	Cavi	19x246	Hpm4020 th5020 q6138z1
1826	5000	Cavi		Q2231z11
1827	5000	Cavi		Rq4128z1 th5000
1818	6000	Cavi		Q6135z1
1820	6000	Cavi		Q6138z4 th5027

